
# **PICMG 1.3 Passive Backplane**

Sele	ctio	on	Guide	P/	AC series wa	ll-mount chas	sis	<b>4</b> U/5	U rack-mount	chassis	10	/2U rack-moi	unt chassis
PICMG 1.3 (PCIe+PCI)	Мо	del	PE-2SD1	PE-2SD2	PE-3S1	PE-4S	PE-4S2	PE-5S	PE-5S2	PE-6S	PE-6S2	PE-6SD	PE-6SD3
Total Slot		2	2	5	4	4	5	5	6	6	5	5	
Expansion Slots		x16 *	1		1	1	1	1	1	1	1	1	1
	PCIe Slots	x4			1	1		1			1		1
	51015	x1							3	2		3	
	PCI-X Slots												
	PCI Slots			1		1	2	2		2	3		2
	nnectors by Pin Header		4	4		4	4	4	4	4	4	4	4
PS	SU Type		24+4-pin ATX	24+4-pin ATX	24+4-pin ATX	24+4-pin ATX	24+4-pin ATX	24+4-pin ATX	24+4-pin ATX	24+4-pin ATX	24+4-pin ATX	24+4-pin ATX	24+4-pin ATX
Chassis		RACK-1150-PE	RACK-1150-PE	RACK-500AI	N/A	N/A	RACK-500G	RACK-500G	RACK-305G RACK-360G RACK-3000G PAC- 1700G PAC-125	PAC-106G PAC-1000G	N/A	N/A	
Note			1U Type	1U Type								2U Type	2U Type
PICMG 1.3 (PCIe+PCI)	Мо	del	PE-7S	PE-7S2	PE-8S	PE-9S	PE-10S	PE- 10S2	PE-13SD	PXE-9S2	PXE-12S	PXE-13S	PXE-19S2
Тс	tal Slot		7	7	8	9	10	10	13	9	12	13	19
	PCle Slots	x16 *	1	1	1	1	1	1	1/1	1	1	1	1
		x4							1/0	3			
Expansion Slots		x1	2	4	3	4	4	4	0/4	0		3	1
51013	PCI-X	Slots								0	4		
	PCI Slots		3	1	3	3	4	4	2/2	4	4	8	16
USB Connectors by Pin Header		4	4	4	4	4	4	8	4	4	4	4	
PSU Type		24+4-pin ATX	24+4-pin ATX	Dual 24+4-pin ATX	24+4-pin ATX	24+4-pin ATX	24+4-pin ATX	24+4-pin ATX					
Chassis		PAC-1700G	PAC-1700G	PAC-125G	N/A	RACK-305G RACK-360G RACK-3000G	RACK-3000G RACK-305G RACK-360G	RACK-3000G RACK-305G RACK-360G	RACK-3000G RACK-305G RACK-360G	RACK-3000G RACK-305G RACK-360G	RACK-3000G RACK-305G RACK-360G	N/A	
Note								Dual System Backplane	PCIe to PCIe Switch Backplane	PCIe to PCI-X Bridge Backplane	PCIe to PCI Bridge Backplane		

\*When using a PCIe x16 add-on card, the length of the card must not exceed 167mm or 6.57 inches.

# **IEI Graphics Grade Backplane Solution**

The graphics grade backplane solution targets the applications which concern system speed and performance. It has higher performance over cost ratio than the previous PICMG 1.0 solution.






PXE-13S












- Twenty PCIe lanes in total
- One PCle x16 slot
- Up to four PCIe x1 or one PCIe x4 slot
- Up to four local PCI slots (w/o bridge)







- Twenty PCIe lanes in total
- One PCIe x16 slot • Up to four PCIe x1 slots
- PCI slots expandable via PCIe to PCI bridge
- PICMG 1.3-Graphic-BP-Selection-2019-V11

## **Full-size**

48.39

30.63

48.39

28.07

10.31

0.00

106.48

51.18 42.67


6

Ô 10.54

62.99

24.91

#### For 1U system! Mounting holes compatible with PCI-4S ■ PE-2SD1-R10 ∎ PE-4S-R40 0.6 Sum 1 - 60 ¢ 32.47 92.33 ¢ ٩ esteres etere ŵ 0000 00000 20 ñ 70.33 ···· 🗘 Ô ۵ ů žČ, 325.3 252.7 312.66 162. Constantiation actions 10000 200 20000 0.00 3.92 01010 0 ...... 888 Ç 21.56 õ Ô 287.55 000 01000 302.6 45.7 a 880 41.00 **Ordering Information Ordering Information** PE-2SD1-R10 2-slot backplane with one PCIe slot 4-slot backplane with one PCIe x16 slot, one PCIe x4 slot and PE-4S-R40 RACK-1150G-PE 1U full-size rack-mount chassis one PCI slot For 1U system! **Mounting holes** ∎ PE-4S2-R40 ■ PE-2SD2-R10 compatible with PCI-4S 1 0 iitti 0 10 ē 0 109. 32.49 0010 den a ind series 92.33 85.55 76.94 ĉ ð O Ô onstanting of the second s ..... in dina Ô **\$**::: ..... 🖏 0 00 8 70.33 n or Ö 1 0 (i 🔅 coc./ Ô ŝ 312.6 ¥ ........ 00 1231 [238 28-3[2 6-60 4.07 de la 0000 ំនេ ni nisan 1000 8 8888 Ç 88 ····· 000 818 5.33 ŵ Ŷ 24.12 iii diiiii ¢101 dente one ctili 302.67 287.50 41.00 0.00 1.35 **Ordering Information Ordering Information** PE-2SD2-R10 2-slot backplane with one PCI slot RACK-1150G-PE 1U full-size rack-mount chassis PE-4S2-R40 4-slot backplane with one PCIe x16 slot and two PCI slots Mounting holes compatible with PCI-5S PE-5S-R40 -3S1-R10 New 00 0 100



5-slot backplane with one PCIe x16 slot, one PCIe x4 slot and two PCI slots 5U 5-slot full-size rack-mount chassis

**Ordering Information** 

.

7744

PICMG 1.3-Graphic-BP1-2019-V11

RACK-500AI

PE-3S1-R10


t0.64

10.64

14.66 9.86 П

<u>بلت</u>ا: الت


155.09



PICMG 1.3-Graphic-BP2-2019-V11


When using a PCIe x16 add-on card, the length of the card must not exceed 167mm or 6.57 inches. PAC-1700G

7-slot full-size compact chassis



## ∎ PE-8S-R40





0

0

O

0


and a second

œ

#### **Ordering Information**


PE-8S-R40	8-slot backplane with one PCIe x16 slot, three PCIe x1 slots and three PCI slots
PAC-125G	10-slot full-size compact chassis





#### **Ordering Information**


PE-9S-R40 9-slot backplane with one PCIe x16 slot, four PCIe x1 slots and three PCI slots



Ordering mornation					
PE-10S-R40	10-slot backplane with one PCIe x16 slot, four PCIe x1 slots and four PCI slots				
RACK-305G	4U 14-slot full-size rack-mount chassis				
RACK-360G	4U 14-slot full-size rack-mount chassis				
RACK-3000G	4U 14-slot full-size rack-mount chassis				

## ■ PE-10S2-R40







**Mounting holes** 

	Ordering Information	
PE-10S2-R40	10-slot backplane with one PCIe x16 slot, four PCIe x1 slots and four PCI slots	
RACK-3000G	4U 14-slot full-size rack-mount chassis	
RACK-305G	4U 14-slot full-size rack-mount chassis	
RACK-360G	4U 14-slot full-size rack-mount chassis	

## ■ PE-13SD-R40





- 245

Mounting holes compatible with PCI-14S

#### 2 independent power resources


Ordering Information					
PE-13SD-R40	13-slot backplane with two PCIe x16 slots, one PCIe x4 slot, four PCIe x1 slot and four PCI slots				
RACK-3000G	4U 14-slot full-size rack-mount chassis				
RACK-305G	4U 14-slot full-size rack-mount chassis				
RACK-360G	4U 14-slot full-size rack-mount chassis				


Mounting holes compatible with PCI-14S


(PCIe to PCI Bridge)


## ∎ PXE-9S2-R10

Mounting holes compatible with PCI-14S










■ PXE-13S-R51





	Ordering Information
PXE-9S2-R10	9-slot PICMG 1.3 backplane with one PCIe x16 by x16 slot, thre PCIe x4 by x16 slots, and four PCI slots RoHS
RACK-305G	4U 14-slot full-size rack-mount chassis
RACK-360G	4U 14-slot full-size rack-mount chassis
RACK-3000G	4U 14-slot full-size rack-mount chassis

	Ordering Information
PXE-13S-R51	13-slot backplane with one PCIe x16 slot, three PCIe x1 slots and
	eight PCI slots
RACK-3000G	4U 14-slot full-size rack-mount chassis
RACK-305G	4U 14-slot full-size rack-mount chassis
RACK-360G	4U 14-slot full-size rack-mount chassis

### Mounting holes compatible with PCI-19S **PXE-19S2-R10**

(PCIe to PCI Bridge)





19-slot backplane with one PCIe x16 slot, one PCIe x1 slot and

### PICMG 1.3-Graphic-BP5-2019-V11

PXE-19S2-R10

sixteen PCI slots